Cleaner for removal of lime and cement films, inorganic soiling and flash rust, also in connection with oily and greasy dirt. Appropriate for cleaning of acid resistant substrates



## **PRODUCT BENEFITS**

- Inorganic Acids based Cleaning Agent
- · Free of Hydrochloric Acid
- No Corrosive Vapors
- · Low Order
- Excellent Cleaning Properties

# **PACKAGING SIZE**

5L & 10L

# **USAGE**

Recommended Surfaces

- · Wall and floor tiles,
- · Clinker and brick areas.
- · Porcelain stoneware in sanitary facilities,
- · Swimming pools,
- · Kitchens,
- · Car wash buildings, and
- Brick fronts

### **COVERAGE**

Approximately 150-200 sqft per litre, depending on the intensity of stains

TECHNICAL DATA	
• Form	Liquid
• Colors	Transparent
Specific Gravity	1.129
• pH	1.29
Freezing point	0 ° C
• Flash Point	NA
Shelf Life	3 years approx.

TECHNICAL DATA

# INSTRUCTIONS

## SURFACE PREPARATION

- Surface temperature should be between 10° C to 35° C.
- Ensure area is well ventilated and surface is dry.
- Mask any surface not intended to be treated.

### **APPLICATION METHOD**

- According to the degree of Soiling, Liberally apply undiluted or with cold water in a ratio 1:20 an even coat using a paint brush. DO NOT USE SPRAYER
- Allow XC2 to penetrate the surface for 15-30 minutes. During this time, spread cleaner over entire area to ensure even penetration. Remove excess cleaner by wiping out entire surface thoroughly with clean and dry towels.
- 15-30 minutes after entire application, wipe the entire area with scrubber while rinsing with clean water.
- In case of stubborn stain, use brush or scrubber.
- Remove the water with vacuum cleaner so as to dry out the surface.
- If stain is not removed completely, repeat the process second time.
- Clean tools with water immediately after application and allow them dry in a well ventilated area.
- Prepare a sample area to examine material consumption and cleaning efficiency.
- Do not use on substrates sensitive to acid i.e. non acid resistant tiles, anodizied aluminium, metals like zinc, iron, aluminum etc.
- · Do not use with hot water

### STORAGE AND HANDLING

May be harmful if swallowed. May cause skin, eye and respiratory irritation. Do not inhale.

Avoid prolong exposure to product. Use in a well ventilated area. Do not ingest.

KEEP OUT OF THE REACH OF THE CHILDREN.

Do not freeze or store above 40° C. Do not mix with other chemicals

#### **EMERGENCY/FIRST AID**

- Ingestion: Do not induce vomiting. Call a physician
- Eye Contact: Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if applicable, and continue flushing. Call a physician if eye irritation persists.
- Skin Contact: Wash skin with mild soap and water. Call a physician if skin irritation persists. Wash clothes before wearing again.
- Inhalation: Remove to fresh air. Call a physician if respiratory irritation persists.



The above information is based on the latest stage of our development and application technology. Due to multiplicity of influencing factors, this information must be considered as non-binding. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any us of this information.